

# **IPA Psychogeriatric Service Delivery Bibliography**

**Originally compiled by the IPA Service Delivery Taskforce**

**Completely Revised by Brian Draper, December 2007**

## **Books**

Allan K (2001). *Communication and Consultation: Exploring Ways for Staff to Involve People with Dementia in Developing Services*. Policy Press, Bristol.

Barnett E (2000). *Including the Person with Dementia in Designing and Delivering Care: 'I Need to be Me!'*. Jessica Kingsley, London.

Birkett DP (2001). *Psychiatry in the nursing home*. Second edition. Haworth, New York.

Burns A. (ed) (2005) *Standards in dementia care*. Taylor & Francis, London & New York.

Conn DK, Herrmann N, Kaye A, Rewilak D, Schogt B. (2007) *Practical Psychiatry in the Long-Term Care Home: A Handbook for Staff*. 3<sup>rd</sup> ed. Hogrefe & Huber

Coward, R. T., Bull, C. N., Kukulka, G., & Galliher, J. M. (1994). *Health Services for Rural Elders*. New York: Springer.

Draper B, Melding P, Brodaty H. (eds) (2005) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press, Oxford.

Judd S, Marshall M and Phippen P (eds.) (1997). *Design for Dementia*. Hawker, London.

Kitwood T (1997). *Dementia Reconsidered: The Person Comes First*. Open University Press, Buckingham.

Melding P and Draper B (eds) (2001). *Geriatric Consultation Liaison Psychiatry*. Oxford University Press, Oxford.

Pitt B (1974). *Psychogeriatrics*. Churchill Livingstone, Edinburgh.

Post F (1965). *The clinical psychiatry of late life*. Pergamon, Oxford.

Reichman WE and Katz PR, eds (1996). *Psychiatric care in the nursing home*. Oxford University Press, New York.

## Community Based Care

### i) Community Care – general issues

Abendstern M, Reilly S, Hughes J., et al (2006) Levels of integration and specialisation within professional community teams for people with dementia. *International Journal of Geriatric Psychiatry*. 21(1):77-85.

Bartels SJ, Levine KJ and Shea D. (1999) Community-based long-term care for older persons with severe and persistent mental illness in an era of managed care. *Psychiatric Services*, 50, 1189-1197.

Collighan G, Macdonald A, Herzberg J, et al. (1993) An evaluation of the multidisciplinary approach to psychiatric diagnosis in elderly people. *BMJ*, 306: 821-824.

Conn DK (2005) Specialised service components. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 235-250.

Depp CA, Lindamer LA, Folsom DP., et al (2005) Differences in clinical features and mental health service use in bipolar disorder across the lifespan. *American Journal of Geriatric Psychiatry*. 13(4):290-8.

Draper, B. and Koschera, A. (2001) Do older people receive equitable private psychiatric service provision under Medicare? *Australian & New Zealand Journal of Psychiatry*, 35: 626-630.

Halliday G, Banerjee S, Philpot M, MacDonald A. (2000) Community study of people who live in squalor. *Lancet*, 355, 882-886.

Hinchliffe A. C., Katona C., Livingston G. (1997) The assessment and management of behavioural manifestations of dementia: A review and results of a controlled trial. *International Journal of Psychiatry in Clinical Practice* 1: 157-168

Jin, H., D. P. Folsom, et al. (2003). Patterns of public mental health service use by age in patients with schizophrenia. *American Journal of Geriatric Psychiatry* 11(5): 525-33.

Kominski G., Andersen R., Bastani R. et al (2001) UPBEAT: the impact of a psychogeriatric intervention in VA medical centers. *Unified Psychogeriatric Biopsychosocial Evaluation and Treatment*. *Medical Care* 39: 500-12

Macdonald A, Goddard C, Poynton A. (1994) Impact of 'open access' to specialist services - the case of community psychogeriatrics. *Int J Geriatr Psychiatry*, 9: 709-714.

Martin, M.A; Pehrson, J., Orrell, M (1999) A survey of social services needs assessments for elderly mentally ill people in England and Wales. *Age and Ageing*, 26 (6): 575-578.

Pijl Y. J. and Sytema S. (2003) The identification of trends in the utilisation of mental health services by elderly: a Dutch case register study. *International Journal of Geriatric Psychiatry* 18: 373-380

Rabins P. V., Black B. S., Roca R., et al (2000) Effectiveness of a nurse-based outreach program for identifying and treating psychiatric illness in the elderly. *Journal of the American Medical Association* 283: 2802-2809

Reynolds T., Thornicroft G., Abas M. et al (2000) The Camberwell Assessment of Need for the Elderly (CANE) Development, validity, and reliability. *British Journal of Psychiatry*, 176: 444-452.

van Zelst WH. de Beurs E. Beekman AT. Et al (2006) Well-being, physical functioning, and use of health services in the elderly with PTSD and subthreshold PTSD. *International Journal of Geriatric Psychiatry*. 21(2):180-8.

Wolfs CA. Dirksen CD. Severens JL. Verhey FR. (2006) The added value of a multidisciplinary approach in diagnosing dementia: a review. *International Journal of Geriatric Psychiatry*. 21(3):223-32

## **ii) Domiciliary Care**

Anderson D. N. and Aquilina C. (2002) Domiciliary clinics I: effects on non-attendance. *International Journal of Geriatric Psychiatry* 17: 941-4

Banerjee, S., Shamash, K., Macdonald, A. J. D., and Mann, A. H. (1996) Randomised controlled trial of effect of intervention by psychogeriatric team on depression in frail elderly people at home. *British Medical Journal*, 313: 1058-61.

Blanchard M. R., Waterreus A. and Mann A. H. (1999) Can a brief intervention have a longer-term benefit? The case of the research nurse and depressed older people in the community. *International Journal of Geriatric Psychiatry* 14: 733-8

Challis D., von Abendorff R., Brown P., et al (2002) Care management, dementia care and specialist mental health services: an evaluation. *International Journal of Geriatric Psychiatry* 17: 315-25

Cole M. G., Rochon D. T., Engelsmann F. and Ducic D. (1995) The impact of home assessment on depression in the elderly: A clinical trial. *International Journal of Geriatric Psychiatry* 10: 19-23

Kohn R., Goldsmith E. and Sedgwick T. W. (2002) Treatment of homebound mentally ill elderly patients: the multidisciplinary psychiatric mobile team. *American Journal of Geriatric Psychiatry* 10: 469-75

Orrell M, Katona C, Durani S et al. (1998) Do domiciliary visits in elderly people with psychiatric problems fulfil the expectations of general practitioners? *Primary Care Psychiatry*, 4, 47-49.

Palinkas LA, Criado V, Fuentes D. et al (2007) Unmet needs for services for older adults with mental illness: comparison of views of different stakeholder groups. *American Journal of Geriatric Psychiatry*. 15(6):530-40.

Pasternak R., Rosenweig A., Booth B., et al (1998) Morbidity of homebound versus inpatient elderly psychiatric patients. *International Psychogeriatrics* 10: 117-25

Robbins B., Rye R., German P. S., et al (2000) The Psychogeriatric Assessment and Treatment in City Housing (PATCH) program for elders with mental illness in public housing: Getting through the crack in the door. *Archives of Psychiatric Nursing* 14: 163-172

Williams DDR, Ellis MM, Hardwick F (1997) Intensive home nursing. An innovation in old age psychiatry. *Psychiatric Bulletin*, 21, 23-25.

Woods R. T., Wills W., Higginson I. J., et al (2003) Support in the community for people with dementia and their carers: A comparative outcome study of specialist mental health service interventions. *International Journal of Geriatric Psychiatry* 18: 298-307

### **iii) Memory Clinics**

Allen H and Baldwin B (1995). The referral, investigation and diagnosis of presenile dementia: two services compared. *International Journal of Geriatric Psychiatry*, 10, 185-190.

Bullock R and Qizilbash, N. (2002) Memory Clinics – a Guide to implementation and evaluation. In: *Evidence-based Dementia Practice*. Qizilbash N, Schneider L, Chui H, Tariot P, Brodaty H, Kaye J, Erkinjuntti T (Eds.). Blackwell Publishing, Oxford. 828-837.

Lindesay J, Marudkar M, van Diepen E and Wilcock G (2002). The second Leicester survey of memory clinics in the British Isles. *International Journal of Geriatric Psychiatry*, 17, 41-47.

LoGuidice D, Waltrowicz W, Brown K et al (1999). Do memory clinics improve the quality of life of carers? A randomized trial. *International Journal of Geriatric Psychiatry*, 14, 626-632.

Luce A, McKeith I, Swann A, et al (2001) How do memory clinics compare with traditional old age psychiatry services? *International Journal of Geriatric Psychiatry*, 16, 837-845.

Phipps AJ and O'Brien JT (2002). Memory clinics and clinical governance – a UK perspective. *International Journal of Geriatric Psychiatry*, 17, 1128-1132.

van Hout HP, Vernooij-Dassen MJ, Hoefnagels WH and Grol RP (2001). Measuring the opinions of memory clinic users: patients, relatives and general practitioners. *International Journal of Geriatric Psychiatry*, 16, 846-51.

#### **iv) Primary Care and Collaborative Care**

Blanchard, M. R., Waterreus, A., and Mann, A. H. (1995) The effect of primary care nurse intervention upon older people screened as depressed. *International Journal of Geriatric Psychiatry*, 10: 289-98.

Boustani M, Callahan CM, Unverzagt FW et al (2005) Implementing a screening and diagnosis program for dementia in primary care. *Journal of General Internal Medicine*, 20: 572-7.

Callahan CM, Boustani MA, Unverzagt FW et al (2006) Effectiveness of collaborative care for older adults with Alzheimer disease in primary care. A randomised controlled trial. *JAMA*. 295:2148-2157.

Gilbody, S., Whitty, P., Grimshaw, J., and Thomas, R. (2003) Educational and Organizational Interventions to Improve the Management of Depression in Primary Care: A Systematic Review. *Journal of American Medical Association*, Volume 289 (23): 3145–3151

Jenkins D. and Macdonald A. (1994) Should general practitioners refer more of their elderly depressed patients to psychiatric services? *International Journal of Geriatric Psychiatry* 9: 461-465

Llewellyn-Jones R. H., Baikie K. A., Castell S., et al (2001) How to help depressed older people living in residential care: a multifaceted shared-care intervention for late-life depression. *International Psychogeriatrics* 13: 477-92

Llewellyn-Jones R. H., Baikie K. A., Smithers H., et al (1999) Multifaceted shared care intervention for late life depression in residential care: randomised controlled trial. *BMJ* 319: 676-82

Stoppe G, Sandholzer H, Winter S, et al (1998) Treatment of the Memory Disturbed Elderly in Primary Care. *Primary Care Psychiatry*, 4: 205-209

Thielke SM. Fan MY. Sullivan M. Unutzer J. (2007) Pain limits the effectiveness of collaborative care for depression. *American Journal of Geriatric Psychiatry*. 15(8):699-707.

Unutzer, J., Katon, W., Callahan, C. M. et al. (2002) Collaborative care management of late-life depression in the primary care setting: a randomized controlled trial. *JAMA*, 288 (22): 2836-45.

Wolfs CAG, Verhey FRJ, Kessels A. et al (2007) GP concordance with advice for treatment following a multidisciplinary psychogeriatric assessment *International Journal of Geriatric Psychiatry*, 22, 233-240

#### **v) Day Hospitals**

Ashaye O. A., Livingston G. and Orrell M. (2003) Does standardized needs assessment improve the outcome of psychiatric day hospital care for older people? A randomised controlled trial. *Aging & Mental Health* 7: 195-199

Bramesfeld A., Adler G., Brassens S. and Schnitzler M. (2001) Day-clinic treatment of late-life depression. *International Journal of Geriatric Psychiatry* 16: 82-7

Conn DK, Clarke D and Van Reekum R (2000). Depression in holocaust survivors: profile and treatment outcome in a geriatric day hospital program. *International Journal of Geriatric Psychiatry*, 15, 331-337.

Fasey C (1994) The day hospital in old age psychiatry. *International Journal of Geriatric Psychiatry*, 9, 519-523.

Hoe J. Ashaye K. Orrell M. (2005) Don't seize the day hospital! Recent research on the effectiveness of day hospitals for older people with mental health problems. *International Journal of Geriatric Psychiatry*. 20(7):694-8.

Howard R (1994) Day hospitals: the case in favour. *International Journal of Geriatric Psychiatry*, 9, 525-529.

Mackenzie CS. Rosenberg M. Major M. (2006) Evaluation of a psychiatric day hospital program for elderly patients with mood disorders. *International Psychogeriatrics*. 18(4):631-41.

Plotkin DA and Wells KB. (1993) Partial hospitalization (day treatment) for psychiatrically ill elderly patients. *American Journal of Psychiatry*, 150, 266-271.

Reilly S. Venables D. Hughes J. et al (2006) Standards of care in day hospitals and day centres: a comparison of services for older people with dementia. *International Journal of Geriatric Psychiatry*. 21(5):460-8.

Steingart AB (1992) Geriatric psychiatry day hospital: a treatment program for depressed older adults. In ME Bergener, ed. *Aging and Mental Disorders*, pp. 338-355. Springer, New York.

## **Consumers, Family and Carers**

Bedford S., Melzer, D., Denning, T., et al (1996) What becomes of people with dementia referred to community psychogeriatric teams? *International Journal of Geriatric Psychiatry* 11, 1051-1056.

Brodaty H, Gresham M, Luscombe G. (1997) The Prince Henry Hospital dementia caregiver's training programme. *Int J Geriatr Psychiatry*, 12: 183-192.

Brodaty, H., A. Green, et al. (2003). Meta-analysis of psychosocial interventions for caregivers of people with dementia. *Journal of the American Geriatrics Society*. 51(5): 657-64.

Brodaty H. Thomson C. Thompson C. Fine M. (2005) Why caregivers of people with dementia and memory loss don't use services. *International Journal of Geriatric Psychiatry*. 20(6):537-46.

Brodaty H, Low L-F. (2005) Involvement of carers, consumers and the broader community. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 293-308.

Chen H. Coakley EH. Cheal K. et al (2006) Satisfaction with mental health services in older primary care patients. *American Journal of Geriatric Psychiatry*. 14(4):371-9.

Denning T and Lawton C. (1998) The Role of Carers in evaluating mental health services for older people. *Int J Geriatr Psychiatry*, 13: 863-70.

de Mendonca Lima, C. A., I. Levav, et al. (2003). Stigma and discrimination against older people with mental disorders in Europe. *International Journal of Geriatric Psychiatry*. 18(8): 679-82.

Depla MF. de Graaf R. van Weeghel J. Heeren TJ. (2005) The role of stigma in the quality of life of older adults with severe mental illness. *International Journal of Geriatric Psychiatry*. 20(2):146-53.

Durand, P.J., Krueger, P.D., chambers, L.O.W. and Grek, A.(1995) Predictors of caregivers' dissatisfaction with community long-term care services for seniors: Results from the Canadian Study of Health and Aging. *Canadian Journal of Public Health* 86, 325-332.

Finkel S. Czaja SJ. Schulz R. et al (2007) E-care: a telecommunications technology intervention for family caregivers of dementia patients. *American Journal of Geriatric Psychiatry*. 15(5):443-8.

Graham, N., J. Lindesay, et al. (2003). "Reducing stigma and discrimination against older people with mental disorders: a technical consensus statement.[see comment]." *International Journal of Geriatric Psychiatry*. 18(8): 670-8.

Harvey, R., P. K. Roques, et al. (1998). "CANDID--Counselling and Diagnosis in Dementia: a national telemedicine service supporting the care of younger patients with dementia." *International Journal of Geriatric Psychiatry*. 13(6): 381-8.

Huyck MH, Ayalon L, Yoder J. (2007) Using mixed methods to evaluate the use of a caregiver strain measure to assess outcomes of a caregiver support program for caregivers of older adults. *International Journal of Geriatric Psychiatry*. 22(2):160-5.

Luscombe G, Brodaty H and Freeth S (1998). Younger people with dementia: diagnostic issues, effects on carers and use of services. *International Journal of Geriatric Psychiatry*, 13, 323-330.

Mittleman M, Ferris S, Shulman E, et al (1996) A family intervention to delay nursing home placement of patients with Alzheimer's disease: A randomized controlled trial. *JAMA*, 276: 1725-1731.

Shaji KS, Smitha, Praveen Lal K and Prince MJ. (2003). Caregivers of patients with Alzheimer's disease: a qualitative study from the Indian 10/66 dementia research network. *International Journal of Geriatric Psychiatry*, 18, 1-6.

Simpson, E. L. and A. O. House (2002). Involving users in the delivery and evaluation of mental health services: systematic review. *BMJ*, 325(7375): 1265.

Simpson, E. L. and A. O. House (2003). User and carer involvement in mental health services: from rhetoric to science. *British Journal of Psychiatry*. 183: 89-91.

Schneider J, Murray J, Banerjee S, Mann A. (1999) Eurocare: A Cross-National Study Of Co-Resident Spouse Carers For People With Alzheimer Disease: I- Factors Associated With Carer Burden. *Int J Geriatr Psychiatr*, 14, 651-661.

Smits CM, de Lange J, Dröes RM et al, (2007) Effects of combined intervention programmes for people with dementia living at home and their caregivers: a systematic review *International Journal of Geriatric Psychiatry*, 22, 1181-1193

## **Cross Cultural and Minority Issues**

Abas, M. (1996) Depression and anxiety among older Caribbean people in the UK: screening, unmet need and the provision of appropriate services. *Int J Geriatr Psychiatry*, 11: 377-382.

Akpaffiong M., Kunik M. E., Hale D., et al (1999) Cross-cultural differences in demented geropsychiatric inpatients with behavioral disturbances. *International Journal of Geriatric Psychiatry* 14: 845-850

Bramesfeld A (2003). Service provision for elderly depressed persons and political and professional awareness for this subject: a comparison of six European countries. *International Journal of Geriatric Psychiatry*, 18, 392-401.

Chiu H, Ng L, Nivataphand R, et al. (1997) Psychogeriatrics in South-East Asia. *Int J Geriatr Psychiatry*, 12: 989-994.

Chiu HFK, Takahashi Y, Suh GH. (2003) Elderly suicide prevention in East Asia. *International Journal of Geriatric Psychiatry* 18: 973-976

Chiu H. Chiu E. (2005) Dementia care in Asia. *International Psychogeriatrics*. 17(1):1-2.

Hassett A. George K. Harrigan S. (1999) Admissions of elderly patients from English-speaking and non-English-speaking backgrounds to an inpatient psychogeriatric unit. *Australian & New Zealand Journal of Psychiatry*. 33(4):576-82.

Hassett A, George K. (2002) Access to a community aged psychiatry service by elderly from non-English-speaking backgrounds. *International Journal of Geriatric Psychiatry*, 17:623-628.

Hendrie H C, Baiyewu O, Eldermire D, Prince C. (1996) Behavioral Disorders in Dementia, Cross-cultural Perspectives: Caribbean Native American and Yoruba. *International Psychogeriatrics*. 8 (Suppl 3) 483 –486

Hoxey K, Mukherjee S, Shah A. (1999) Psychiatric services for ethnic elders. *CPD Bulletin: Old Age Psychiatry*, 1: 44-46.

Hwang JP, Yang CH, Tsai SJ, Liu KM, Behavioural disturbances in psychiatric inpatients with dementia of Alzheimer's type in Taiwan. *International Journal of Geriatric Psychiatry* 1997, 12, 902-906.

Lindesay J, Jagger C, Hibbert M, et al (1997) Knowledge, uptake and availability of health and social services among Asian Gujarati and white elders. *Ethnicity & Health*, 2: 59-69

LoGuidice D, Hassett A, Cook R, et al (2001). Equity of access to a memory clinic in Melbourne ? Non-English speaking background of attenders are more severely demented and have increased rate of psychiatric disorders. *International Journal of Geriatric Psychiatry*, 16, 327-334.

Odutoye K, Shah A. (1999) The clinical and demographic characteristics of ethnic elders from the Indian sub-continent newly referred to a psychogeriatric service. *Int J Geriatr Psychiatry*, 14: 446-453.

Patel, V. and Prince, M. (2001) Ageing and mental health in a developing country: Who cares? Qualitative studies from Goa, India. *Psychological Medicine* 31(1): 29-38.

Patel N, Mirza NR, Lindblad P, et al (1998). *Dementia and Minority Ethnic Older People: Managing Care in the UK, Denmark and France*. Russell House, London.

Prince, M., N. Graham, et al. (2004). "Alzheimer Disease International's 10/66 Dementia Research Group-One model for action research in developing countries." *International Journal of Geriatric Psychiatry* 19(2): 178-81.

Prince M, Trebilco P. (2005) Mental health services for older people: a developing countries perspective. In Draper B et al (eds) *Psychogeriatric Service Delivery: an international perspective*. Oxford University Press, Oxford. 33-53.

Reifler BV (1997). The practice of geriatric psychiatry in three countries: observations of an American in the British Isles. *International Journal of Geriatric Psychiatry*, 12, 795-807.

Reifler BV and Cohen W (1998). Practice of geriatric psychiatry and mental health services for the elderly: results of an international survey. *International Psychogeriatrics*, 10, 351-357.

Richards M, Brayne C, Forde C, et al (1996) Surveying African Caribbean elders in the community: implications for research on health and health service use. *Int J Geriatr Psychiatry*, 11: 41-45.

Rowland JT, Basic D, Storey JE, Conforti DA. (2006) The Rowland Universal Dementia Assessment Scale (RUDAS) and the Folstein MMSE in a multicultural cohort of elderly persons. *International Psychogeriatrics*. 18(1):111-20.

Schneider, J., Murray, J., Banerjee, S. and Mann, A. (1999) EURO CARE: a cross-national study of co-resident spouse carers for people with Alzheimer's Disease: I. Factors associated with carer burden. *International Journal of Geriatric Psychiatry* 14 (8): 651-61.

Shaji, K. S., Arun Kishore, N. R., Lal, K. P., and Prince, M. (2002) Revealing a hidden problem. An evaluation of a community dementia case-finding program from the Indian 10/66 Dementia Research Network. *International Journal of Geriatric Psychiatry*, 17 (3): 222-5.

Shah A. Ellanchenny N. Suh GH. (2005) A comparative study of behavioral and psychological symptoms of dementia in patients with Alzheimer's disease and vascular dementia referred to psychogeriatric services in Korea and the U.K. *International Psychogeriatrics*. 17(2):207-19.

The 10/66 Dementia Research Group. (2000) Dementia in developing countries. A preliminary consensus statement from the 10/66 Dementia Research Group. *International Journal of Geriatric Psychiatry* 15: 14-20.

The 10/66 Dementia Research Group. (2004) Care arrangements for people with dementia in developing countries. *International Journal of Geriatric Psychiatry*, 19: 170-177.

Vernooij-Dassen MJ. Moniz-Cook ED. Woods RT., et al (2005) Factors affecting timely recognition and diagnosis of dementia across Europe: from awareness to stigma. *International Journal of Geriatric Psychiatry*. 20(4):377-86.

Waldemar G. Phung KT. Burns A., et al (2007) Access to diagnostic evaluation and treatment for dementia in Europe. *International Journal of Geriatric Psychiatry*. 22(1):47-54.

Walker S, Borson S, Katon W, et al (1995) Differential clinical characteristics of older black and white nursing home residents. *Amer J Geriatr Psychiatry*, 3: 229-238.

## **Effectiveness of Old Age Mental Health Services – Evidence-Based Reviews**

Banerjee S and Dickinson E. (1997) Evidence-based health care in old age psychiatry. *Int J of Psychiatr in Med*, 27: 283-292.

Bartels S, Dums A, Oxman T, et al. (2002) Evidence-based practices in Geriatric mental health care. *Psychiatr Services*, 53: 1419 .31.

Bartels, S. (2002), Quality, costs, and effectiveness of services for older adults with mental disorders: a selective overview of recent advances in geriatric mental health services research, *Current opinion in psychiatry*, Volume 15(4): 411-416.

Draper B. (2000) The effectiveness of old age psychiatry services. *Int J Geriatr Psychiatry*, 15: 687-703.

Draper B & Low LF (2004) What is the effectiveness of old age mental health services? World Health Organization Regional Office for Europe Health Evidence Network. Published online

<http://www.euro.who.int/eprise/main/WHO/Progs/HEN/Syntheses/mentalservice/20040720>

Draper B & Low LF (2005) Evidence-based Psychogeriatric Service Delivery In: Draper B, Melding P & Brodaty H (eds) Psychogeriatric Service Delivery: an international perspective, Oxford University Press: Oxford p75-123, ISBN 0-19-852825-6

Van Citters AD & Bartels SJ. (2004) A systematic review of the effectiveness of community-based mental health outreach services for older adults. *Psychiatric Services*, 55: 1237-1249.

## Foreign Language Articles

Almeida OP, Ratto L, Garrido R, Tamai S. (1999). [Risk factors and consequences of polypharmacy among elderly outpatients of a mental health service], *Revista Brasileira de Psiquiatria* 21 (3) (in Portuguese)

Arends LA. (2003) [The legal position of psycho-geriatric patients in nursing homes and residential homes]. [Dutch] [English Abstract.] *Tijdschrift voor Gerontologie en Geriatrie*. 34(2):65-73.

Bilikiewicz A., Parnowski T. (2002) Zaburzenia psychiczne, problemy psychologiczne i społeczne związane ze starzeniem się (Psychogeriatría). (Mental disturbances, psychological and social problems associated with old age) W: *Psychiatria*, t.2 (red. Bilikiewicz A., Pużyński S., Rybakowski J., Wciórka J.) Urban & Partner, Wrocław, 697-734 (in Polish)

Busby FR. (1998) *Maltraitements et négligences envers les personnes âgées*. ALMA 1995-1997, ALMA Editions: Paris (in French)

Colvez A, Joël M. *La maladie d'Alzheimer*. (2002) *Quelle place pour les aidants?* Editions Masson, Paris (in French)

Hallauer J, Kurz A (Ed.) (2002) *Weißbuch Alzheimer: Versorgungssituation relevanter Demenzerkrankungen in Deutschland* (White paper Alzheimer: Situation of care for the relevant dementias in Germany). Thieme, Stuttgart (in German)

Klingenberg A, Szecsenyi J. (1999) *Unterstützungsbedarf von pflegenden Angehörigen. Befragungsergebnisse von Familien Demenzkranker in einer ländlichen Region bei Bremen*. (Need of support of dementia caregivers: Results of a survey in a rural area close to Bremen, Germany) *Z Allg Med*, 75: 1113 – 1118 (German, English abstract)

Kurz A, Jansen S, Tenge B. (2003) *Gerontopsychiatrische Versorgungsstrukturen*. In: Förstl H, editor. *Lehrbuch der Gerontopsychiatrie und -psychotherapie. Grundlagen - Klinik - Therapie*. Stuttgart: Thieme; p. 198-214. (in German)

Lohse J. (2002) Stationäre Versorgung. In: Hallauer JF, Kurz A, editors. Weißbuch Demenz. Versorgungssituation relevanter Demenzerkrankungen in Deutschland. Stuttgart: Thieme; p. 67-71. (in German)

Mateos R, Rodríguez A. (2002) La Asistencia en Psiquiatría Geriátrica. De la Teoría a la Praxis. In: Agüera L; Carrasco M; Cervilla J. (eds). Manual de Psiquiatría Geriátrica. Madrid: Masson, 715-745. (in Spanish)

Parnowski T., Kotapka-Minc S., Łączkowski J., Maryniak-Wiśniewska M. (1998) Poradnie dla osób w wieku podeszłym - nowe struktury w psychiatrii polskiej. (Psychogeriatric Clinics-new structures in polish psychiatry) Postępy Psych.Neurol. 7, suppl.1 (6), 107-114 (in Polish)

Reyes-Ortiz CA. (1998) Visitas domiciliarias en pacientes geriatricos. Colombia Medica. 29:138-142 (in Spanish)

Sánchez-Pérez M. (2002) Asistencia sociosanitaria en salud mental: Evaluación de una experiencia. Informaciones Psiquiátricas, 167: 95-103. (in Spanish)

Stoppe G, Koller M, Hornig C, et al (1999) Gerontopsychiatrische Behandlung im Vergleich zwischen integrierter Versorgung an einer Universität und separierter Versorgung an einem Landeskrankenhaus. I. Patientencharakteristik (A comparison of geropsychiatric inpatients of a University Psychiatric Hospital (integrated care) and a Psychiatric State Hospital (separated care) in Germany. Part I: Type of patients; English abstract) Psychiat Prax, 26: 277-282 – (in German)

Stoppe G, Koller M, Lund I, et al (1999). Gerontopsychiatrische Behandlung im Vergleich zwischen integrierter Versorgung an einer Universität und separierter Versorgung an einem Landeskrankenhaus. II. Diagnosen und Behandlung (A comparison of geropsychiatric inpatients of a University Psychiatric Hospital (integrated care) and a Psychiatric State Hospital (separated care) in Germany. Part II: Diagnoses and Treatments; English abstract). Psychiat Prax, 26: 283-288 – (in German)

Tessier J-F, Clément J-P, Léger J-M. (1999) Principes d'organisation des soins en psychogériatrie. Psychiatrie du Sujet Agé. Flammarion, Paris. (in French)

Wächtler C, Hofmann W. (2002) Kooperation von Geriatrie und Gerontopsychiatrie - Das Zentrum für Ältere in Hamburg. In: Vortrag auf dem Symposium "Den Wandel gestalten" der DGGG. Kiel; 46-47 (in German)

## Health Economics

Access Economics Pty Ltd (2003). The dementia epidemic: Economic impact and positive solutions for Australia, prepared for Alzheimer's Australia, Canberra, Access Economics Pty Ltd

Allegri RF. Butman J. Arizaga RL., et al (2007) Economic impact of dementia in developing countries: an evaluation of costs of Alzheimer-type dementia in Argentina. *International Psychogeriatrics*. 19(4):705-18.

Aquilina C. and Anderson D. (2002) Domiciliary clinics II: a cost minimisation analysis. *International Journal of Geriatric Psychiatry* 17: 945-9

Brodaty H and Peters K. Cost-effectiveness of a training program for dementia carers. *Int Psychogeriatr* 1991; 3: 11-22.

Charney DS, Reynolds CF, Lewis L et al (2003). Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life. *Archives of General Psychiatry*, 60, 664-72.

Fillit H. (2002) Economics, pharmacoeconomics and drug discovery for dementias. *Drug Discov Today*, 7: 785-7.

Gilmer T. Ojeda VD. Folsom D., et al (2006) Costs of community-based public mental health services for older adults: variations related to age and diagnosis. *International Journal of Geriatric Psychiatry*. 21(12):1121-6.

Herrmann N. Lanctot KL. Sambrook R., et al (2006) The contribution of neuropsychiatric symptoms to the cost of dementia care. *International Journal of Geriatric Psychiatry*. 21(10):972-6.

Holmes J, Pugner K, Phillips R, et al (1998) Managing Alzheimer's disease: the cost of care per patient. *Br J Health Care Management*, 4: 332-337.

Jeste DV, Alexopoulos GS, Bartels SJ et al (1999) Consensus statement on the upcoming crisis in geriatric mental health. *Arch Gen Psychiatry*, 56: 848-853

Jonsson L. Eriksson M. Jonhagen M. Kilander L. et al. (2006) Determinants of costs of care for patients with Alzheimer's disease. *International Journal of Geriatric Psychiatry*. 21(5):449-59.

Knapp M. (2007) Economic outcomes and levers: impacts for individuals and society. *International Psychogeriatrics*. 19(3):483-95.

Livingston G, Manela M, Katona C. (1997) Cost of community care for older people. *Br J Psychiatry*, 171: 56-69.

Melding P. (2005) Principles of planning health services. In Draper B et al (eds) Psychogeriatric Service Delivery: an international perspective. Oxford University Press, Oxford. 55-74.

Nordberg G, Wimo A, Jönsson L et al (2007) Time use and costs of institutionalised elderly persons with or without dementia: results from the Nordanstig cohort in the Kungsholmen Project - a population based study in Sweden. *International Journal of Geriatric Psychiatry*. 22, 639-648

Richardson G, Davies L, South B et al (2000) Economic impact of a specialist outreach team in residential and nursing home settings. *J Mental Health Policy Econ*, 3: 147-152.

Shah A. (1996) Cost of transportation to a psychogeriatric day hospital: minibus versus taxi service. *Int J Geriatr Psychiatry*, 11: 555-558.

Shah A. (1997) Cost comparison of out-patient and home-based geriatric psychiatry consultations in a service. *Ageing & Mental Health*, 1: 372-376.

Shah A, Jenkins R. (2000) Mental Health economic studies from developing countries reviewed in the context of those from developed countries. *Acta Psychiatrica Scandinavica*, 101: 87-103.

Streim JE, Beckwith EW, Arapakos D, et al (2002). Regulatory oversight, payment policy, and quality improvement in mental health care in nursing homes. *Psychiatric Services*, 53, 1414-1418.

Strain J. J., Lyons J. S., Hammer J. S., et al. (1991) Cost offset from a psychiatric consultation-liaison intervention with elderly hip fracture patients. *American Journal of Psychiatry* 148: 1044-9

Suh GH, Knapp M, Kang CJ. (2006) The economic costs of dementia in Korea, 2002. *International Journal of Geriatric Psychiatry*. 21(8):722-8.

Wimo A, Karlsson G, Sandman PO, et al (1997) Cost of illness due to dementia in Sweden. *Int J Geriatr Psychiatry*, 12: 857-861.

Wimo A, Mattsson B, Krakau I, et al (1994) Cost-effectiveness analysis of dementia day care of patients with dementia disorders. *Health Economics*, 3: 395-404.

Wimo A. (2007) Clinical and economic outcomes--friend or foe?. *International Psychogeriatrics*. 19(3):497-507.

Zencir M, Kuzu N, Beer NG., et al (2005) Cost of Alzheimer's disease in a developing country setting. *International Journal of Geriatric Psychiatry*. 20(7):616-22.

## History of Psychogeriatric Services

### i) Important historical papers

Arie T. (1970) The first year of Goodmayes psychogeriatric service for old people. *Lancet*, ii: 1179-1182.

Arie T. (1971) Morale and the planning of psychogeriatric services. *BMJ*, 3: 166-70.

Arie T. Dunn T. (1973) A "do-it-yourself" psychiatric-geriatric joint patient unit. *Lancet* 2: 1313-6

Arie T & Jolley D. (1982) Making services work: organisation and style of psychogeriatric services. In: *The Psychiatry of Late Life* (Eds. R Levy & F Post). Oxford, Blackwell, 222-251.

Butler RN (1975). *Psychiatry and the elderly: an overview*. *American Journal of Psychiatry*, 132, 893-900.

Clark A et al. (1975) Diogenes syndrome: A clinical study of gross neglect in old age. *Lancet* i: 366-368.

Cohen GD (1976). *Mental health services and the elderly: needs and options*. *American Journal of Psychiatry*, 133, 65-68.

Colwell C and Post F (1959). *Community needs of elderly psychiatric patients*. *British Medical Journal*, 2, 214. Reprinted in H Freeman and J Farndale, eds. *Trends in the mental health services*, pp 251-260. Pergamon, Oxford.

Eisdorfer C (1977). *Evaluation of the quality of psychiatric care for the aged*. *American Journal of Psychiatry*, 134, 315-317.

Glasscote RM, Gudeman JE and Miles DG (1977). *Creative mental health services for the elderly*. American Psychiatric Association, Washington.

Grad J and Sainsbury P (1963). *Evaluating a community care service*. In H Freeman and J Farndale, eds. *Trends in the mental health services*, pp 303-317. Pergamon, London.

Health and Welfare Canada (1988) *Guidelines for comprehensive services to elderly persons with psychiatric disorders*, Ottawa.

Jolley DJ. And Arie T. (1978) *Organization of Psychogeriatric Services*. *Br J Psychiatr*, 132: 1-11.

Lipowski ZJ (1983). The need to integrate liaison psychiatry and geropsychiatry. *American Journal of Psychiatry*, 140, 1003-1005.

Macmillan D and Shaw P. (1966) Senile breakdown in standards of personal and environmental cleanliness. *BMJ*, 2: 1032-1037.

Macmillan D. (1967) Problems of a geriatric mental health service. *Br J Psychiatry*, 113: 175-81.

Macmillan D (1960) Preventive geriatrics. Opportunities of a community mental health service. *Lancet*, ii, 1439-1441.

Pitt B. and Silver C. P. (1980) The combined approach to geriatrics and psychiatry: evaluation of a joint unit in a teaching hospital district. *Age & Ageing* 9: 33-7

Prinsley D. (1973) Psychogeriatric ward for mentally disturbed elderly patients. *BMJ*, 3: 574-577.

Rao, V. A. (1986) Social psychiatry of old age in India. *Indian Journal of Social Psychiatry*, 2:3-14.

Reifler BV, Kethley A, O'Neill P, et al (1982). Five-year experience of a community outreach program for the elderly. *American Journal of Psychiatry*, 139, 220-223.

Roth M. (1955) The natural history of mental disorder in old age. *J Ment Sci*, 101: 281-301.

Sadavoy J. (1981) Psychogeriatric care in the general hospital. *Canadian Journal of Psychiatry Revue Canadienne de Psychiatrie* 26: 334-336

Wattis J, Wattis L and Arie T (1981). Psychogeriatrics: a national survey of a new branch of psychiatry. *British Medical Journal*, 282, 1529-1533.

Wattis J. P. (1989) A comparison of "specialized" and "nonspecialized" psychiatric services for old people in the United Kingdom. *International Journal of Geriatric Psychiatry* 4: 59-62

Williamson J, Stokoe IH, Gray S. et al. (1964) Old people at home. Their unreported needs. *Lancet*, i: 1117-20.

## **ii) Historical Reviews of Service Development**

Arie T & Jolley D (1999). Psychogeriatrics. In H Freeman, ed. *A century of psychiatry*, pp 260-264. Mosby-Wolfe, London.

Hilton C. (2005) The clinical psychiatry of late life in Britain from 1950 to 1970: an overview. *International Journal of Geriatric Psychiatry*. 20(5):423-8.

Macdonald A. Ball C. Burton S. et al (2007) The birth of a specialty: the first ten thousand patients of an old age psychiatry service. *International Psychogeriatrics*. 19(1):53-63.

Rabins PV (1999). The history of psychogeriatrics in the United States. *International Psychogeriatrics*, 11, 371-373.

Snowdon J, Arie T (2005) A history of psychogeriatric services. In Draper B et al (eds) *Psychogeriatric Service Delivery: an international perspective*. Oxford University Press, Oxford. 3-20.

## **Hospital-based acute care**

### **i) Acute Specialist Psychogeriatric Inpatient Care**

Arndt S. Gunter TD. Acion L. (2005) Older admissions to substance abuse treatment in 2001. *American Journal of Geriatric Psychiatry*. 13(5):385-92.

Boyle P, Boyle A, Baillon S. (1999) A descriptive survey of acute bed usage for dementia care in old age Psychiatry. *Int J Geriatr Psychiatry*, 14: 348-54

Bultema J. K., Mailliard L., Getzfrid M. K., et al (1996) Geriatric patients with depression. Improving outcomes using a multidisciplinary clinical path model. *Journal of Nursing Administration* 26: 31-8

Casten R. J., Rovner B. W., Pasternak R. E. and Pelchat R. (2000) A comparison of self-reported function assessed before and after depression treatment among depressed geriatric inpatients. *International Journal of Geriatric Psychiatry* 15: 813-8

Craig J, Patel J, Lee-Jones C et al. (2000) Psychiatric assessment wards for older adults: a qualitative evaluation of two ward models. *International Journal of Geriatric Psychiatry*, 15, 721-728.

Djernes J. K., Gulmann N. C., Abelskov K. E., et al (1998) Psychopathologic and functional outcome in the treatment of elderly inpatients with depressive disorders, dementia, delirium and psychoses. *International Psychogeriatrics* 10: 71-83

Draper B & Luscombe G. (1998) Quantification of factors contributing to length of stay in an acute psychogeriatric ward. *Int J Geriatr Psychiatry*, 13: 1-7.

Draper B & Low LF (2005) What is the effectiveness of acute hospital treatment of older people with mental disorders? *International Psychogeriatrics*, 17: 539-555.

Erlangsen A, Zarit SH, Tu X, Conwell Y. (2006) Suicide among older psychiatric inpatients: an evidence-based study of a high-risk group. *American Journal of Geriatric Psychiatry*. 14(9):734-41.

Heinik J., Barak Y., Salgenik I. and Elizur A. (1995) Patterns of two psychogeriatric hospitalization services in Israel: A one-year survey. *International Journal of Geriatric Psychiatry* 10: 1051-1057

Holm A., Michel M., Stern G. A., et al (1999) The outcomes of an inpatient treatment program for geriatric patients with dementia and dysfunctional behaviors. *Gerontologist* 39: 668-76

Howe A & Kung F. (2003) Does assessment make a difference for people with dementia? The effectiveness of the Aged Care Assessment Teams in Australia. *International Journal of Geriatric Psychiatry*, 18:205-210.

Lehmann SW, Rabins PV. (2006) Factors related to hospitalization in elderly manic patients with early and late-onset bipolar disorder. *International Journal of Geriatric Psychiatry*. 21(11):1060-4.

Neville P, Boyle A, Baillon S (1999) A descriptive survey of acute bed usage for dementia care in old age psychiatry. *International Journal of Geriatric Psychiatry*, 14, 348-354.

Pollitt PA, O'Connor DW. (2007) Are patients with severe depression traumatized by admission to an aged psychiatry ward? *International Psychogeriatrics*. 19(1):115-23.

Riordan J. and Mockler D. (1996) Audit of care programming in an acute psychiatric admission ward for the elderly. *International Journal of Geriatric Psychiatry* 11: 109-118

Shah A, Bhatkal S. (2005) Core service components – acute care. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 193-212.

Shaw T, Shah AK, (1996) Squalor syndrome and psychogeriatric admissions. *International Psychogeriatrics*, 8, 669-674.

Snowden M, Walaszek A, Russo JE et al (2004) Geriatric patients improve as much as younger patients from hospitalisation on geriatric psychiatric units. *Journal American Geriatrics Society*, 52:1676-1680.

Wattis J. P., Butler A., Martin C. and Sumner T. (1994) Outcome of admission to an acute psychiatric facility for older people: A pluralistic evaluation. *International Journal of Geriatric Psychiatry* 9: 835-840

Zubenko G. S., Mulsant B. H., Rifai A. H., et al. (1994) Impact of acute psychiatric inpatient treatment on major depression in late life and prediction of response. *American Journal of Psychiatry* 151: 987-994

Zubenko G. S., Rosen J., Sweet R. A., et al. (1992) Impact of psychiatric hospitalization on behavioral complications of Alzheimer's disease. *Am J Psychiatry* 149: 1484-1491

## **ii) Consultation liaison general hospital services**

Atkin K, Holmes J, Martin C. (2005) Provision of care for older people with co-morbid mental illness in general hospitals: general nurses' perceptions of their training needs. *International Journal of Geriatric Psychiatry*. 20(11):1081-3.

Baharatheen M, Shah A. (1999) Impact of two changes in service delivery on a liaison geriatric psychiatry service. *Int J Geriatr Psychiatry*, 14: 767-775.

Baldwin R, Pratt H, Goring H et al (2004) Does a nurse-led mental health liaison service for older people reduce psychiatric morbidity in acute general medical wards? A randomised controlled trial. *Age & Ageing*, 33: 472-478

Britton A. and Russell R. (2003) Multidisciplinary team interventions for delirium in patients with chronic cognitive impairment (Cochrane review). In *The Cochrane Library*, (eds). John Wiley & Sons: Chichester, UK.

Cole M. G., Fenton F. R., Engelsmann F. and Mansouri I. (1991) Effectiveness of geriatric psychiatry consultation in an acute care hospital: a randomized clinical trial. *Journal of the American Geriatrics Society* 39: 1183-8

Cole M. G., Primeau F. J., Bailey R. F., et al (1994) Systematic intervention for elderly inpatients with delirium: a randomized trial. *CMAJ Canadian Medical Association Journal* 151: 965-70

Cole M. G. (1993) The impact of geriatric medical services on mental state. *International Psychogeriatrics* 5: 91-101

Cole M. G. (2001) The impact of geriatric post-discharge services on mental state. *Age & Ageing* 30: 415-8

Draper B. (2001) *Consultation Liaison Geriatric Psychiatry*. In: *Geriatric Consultation Liaison Psychiatry*. (Eds: Melding P. and Draper B.) Oxford University Press, Oxford: 3-34.

Holmes J, Bentley K and Cameron I (2002) *Between Two Stools: Psychiatric Services for Older People in General Hospitals*. University of Leeds, Leeds.

Holmes J, Bentley K, Cameron I. (2003) A UK survey of psychiatric services for older people in general hospitals. *Int J Geriatr Psychiatry*, 18:716-721.

Hughes TL, Medina-Walpole A. (2000) Implementation of an Interdisciplinary Behavior Management Program. *Journal of the American Geriatrics Society*, 48: 581-587.

Inouye S. K., Bogardus S. T., Jr., Charpentier P. A., et al (1999) A multicomponent intervention to prevent delirium in hospitalized older patients. *New England Journal of Medicine* 340: 669-76

Nakasujja N. Musisi S. Walugembe J. Wallace D. (2007) Psychiatric disorders among the elderly on non-psychiatric wards in an African setting. *International Psychogeriatrics*. 19(4):691-704.

Norquist G., Wells K. B., Rogers W. H., et al. (1995) Quality of care for depressed elderly patients hospitalized in the specialty psychiatric units or general medical wards. *Archives of General Psychiatry* 52: 695-701

Rigatelli M., Casolari L., Massari I. and Ferrari S. (2001) A follow-up study of psychiatric consultations in the general hospital: What happens to patients after discharge? *Psychotherapy & Psychosomatics* 70: 276-82

Slaets, J. P. J., Kauffmann, R. H., Duivenvoorden, H. J., et al (1997). A randomized trial of geriatric liaison intervention in elderly medical inpatients. *Psychosomatic Medicine*, 59: 585-591.

## **Long Term Residential Care**

### **i) Outreach Services**

Ballard C., Powell I., James I. et al (2002) Can psychiatric liaison reduce neuroleptic use and reduce health service utilization for dementia patients residing in care facilities. *International Journal of Geriatric Psychiatry* 17: 140-5

Bartels S, Horn S, Smout R, et al. (2003) Agitation and depression in frail nursing home elderly patients with dementia: Treatment and service used. *Am J Geriatr Psychiatry*, 11: 231-8.

Brodaty H, Draper B, Millar J., et al. (2003) Randomized controlled trial of different models of care for nursing home residents with dementia complicated by depression or psychosis. *J Clin Psychiatry*, 64: 63-72.

Kotynia-English R. McGowan H. Almeida OP. (2005) A randomized trial of early psychiatric intervention in residential care: impact on health outcomes. *International Psychogeriatrics*. 17(3):475-85.

Opie J., Doyle C. and O'Connor D. W. (2002) Challenging behaviours in nursing home residents with dementia: a randomized controlled trial of multidisciplinary interventions. *International Journal of Geriatric Psychiatry* 17: 6-13

Proctor R, Burns A, Powell H, et al. (1999) Behavioural management in nursing and residential homes: a randomised controlled trial. *Lancet*, 354: 26-29.

Reichman WE, Coyne AC, Borson S et al (1998). Psychiatric consultation in the nursing home. A survey of six states. *American Journal of Geriatric Psychiatry*, 6, 320-327.

Snowdon J (2005) The role of psychogeriatric services in long term residential care settings. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 213-234.

## **ii) Models of Long-term Residential Care**

Ackermann E., Burnand J., Horton C., et al (2003) Two year outcomes of a multi-agency elderly mentally ill unit providing intermediate care. *International Journal of Geriatric Psychiatry* 18: 359-360

American Geriatrics Society and American Association for Geriatric Psychiatry (2003). The American Geriatrics Society and American Association for Geriatric Psychiatry recommendations for policies in support of quality mental health care in US nursing homes. *Journal of the American Geriatrics Society*, 51, 1299-1304.

Bellelli G., Frisoni G. B., Bianchetti A. et al (1998) Special care units for demented patients: a multicenter study. *Gerontologist* 38: 456-62

Brooker DJ, Surr C. (2006) Dementia Care Mapping (DCM): initial validation of DCM 8 in UK field trials. *International Journal of Geriatric Psychiatry*. 21(11):1018-25.

Coburn, A. F. & Bolda, E. J. (1999) The rural elderly and long term care. In T. C. Ricketts (Ed.), *Rural health in the United States* (pp. 179-189). New York: Oxford.

Cody M, Beck C, Svarstad BL (2002) Challenges to the use of nonpharmacologic interventions in nursing homes. *Psychiatric Services*, 53, 1402-1406.

De Girolamo G, Picardi A, Micciolo, R, et al (2002) Residential care in Italy: National survey of non-hospital facilities. *Br J Psychiatry*, 181: 220-225.

Dean R., Briggs K. and Lindsay J. (1993) The domus philosophy: A prospective evaluation of two residential units for the elderly mentally ill. *International Journal of Geriatric Psychiatry* 8: 807-817

Depla M, Pols J, de Lange J et al (2003) Integrating mental health care into residential homes for the elderly: An analysis of six Dutch programs for older people with severe and persistent mental illness. *Journal of the American Geriatrics Society*, 51: 1275-1279.

Hancock GA, Woods B, Challis D, Orrell M. (2006) The needs of older people with dementia in residential care. *International Journal of Geriatric Psychiatry*. 21(1):43-9.

Ineichen B. (1998) Influences on the care of demented elderly people in the People's Republic of China. *International Journal of Geriatric Psychiatry* 13: 122-126

Lawton M. P., Van Haitsma K., Klapper J., et al (1998) A stimulation-retreat special care unit for elders with dementing illness. *International Psychogeriatrics* 10: 379-95

Mechanic D and McAlpine DD (2000) Use of nursing homes in the care of persons with severe mental illness: 1985-1995. *Psychiatric services*, 51, 354-358.

Moak G and Borson S (2000). Mental health services in long-term care. Still an unmet need. *American Journal of Geriatric Psychiatry*, 8, 96-100.

Moniz-Cook E, Woods R, Gardiner E. (2000) Staff factors associated with perception of behaviour as "challenging" in residential and nursing homes. *Ageing & Mental Health*, 4: 48-55.

Neville CC, Byrne GJ. (2006) The impact of residential respite care on the behavior of older people. *International Psychogeriatrics*. 18(1):163-70.

Orrell M, Hancock G, Hoe J et al, (2007) A cluster randomised controlled trial to reduce the unmet needs of people with dementia living in residential care *International Journal of Geriatric Psychiatry*, 22, 1127-1134

Rask PAS, Parmelee PA, Taylor JA et al (2007) Implementation and evaluation of a nursing home fall management program. *Journal Am Geriatr Soc*, 55: 342-9.

Reyes-Ortiz CA, (2001) Neglect and self-neglect of the elderly in long-term care. *Annals of Long-Term Care*, 9, 21-24.

Rovner B, Steele C, Shmueli Y et al. (1996) A randomised trial of dementia care in nursing homes. *Journal Am Geriatr Soc*, 44: 7-13.

Ryan JM, Kidder SW, Daiello LA and Tariot PN (2002). Psychopharmacologic interventions in nursing homes: what do we know and where should we go? *Psychiatric Services*, 53, 1407-1413.

Sampson EL, Ritchie CW, Lai R., et al (2005) A systematic review of the scientific evidence for the efficacy of a palliative care approach in advanced dementia. *International Psychogeriatrics*. 17(1):31-40.

Scott-Cawiezell J, Jones K, Moore L, Vojir C. (2005) Nursing home culture: a critical component in sustained improvement. *Journal of Nursing Care Quality*, 20: 341-8.

Shah A, De T. (1998) The effect of an educational package about aggressive behaviour directed at the nursing staff on a continuing care psychogeriatric ward. *Int J Geriatr Psychiatry*, 13: 35-40.

Simmons P. and Orrell M. (2001) State funded continuing care for the elderly mentally ill: a legal and ethical solution? *International Journal of Geriatric Psychiatry* 16: 931-934

Snowden M, Sato K and Roy-Byrne P (2003). Assessment and treatment of nursing home residents with depression or behavioural symptoms associated with dementia: a review of the literature. *Journal of the American Geriatrics Society*, 51, 1305-1317.

Snowdon J. Day S. Baker W. (2005) Why and how antipsychotic drugs are used in 40 Sydney nursing homes. *International Journal of Geriatric Psychiatry*. 20(12):1146-52.

Streim JE, Oslin D, Katz IR and Parmelee PA (1997). Lessons from geriatric psychiatry in the long term care setting. *Psychiatric Quarterly*, 68, 281-307.

Wancata J, Benda N, Hajji M, et al (1998). Prevalence and course of psychiatric disorders among nursing home admissions. *Social Psychiatry and Psychiatric Epidemiology*, 33, 74-79.

Wills W. and Leff J. (1996) The TAPS project. 30: Quality of life for elderly mentally ill patients--a comparison of hospital and community settings. *International Journal of Geriatric Psychiatry* 11: 953-963

Wills W., Trieman N. and Leff J. (1998) The Taps Project 40: quality of care provisions for the elderly mentally ill--traditional vs alternative facilities. *International Journal of Geriatric Psychiatry* 13: 225-34

### **iii) Facility Design and Environment**

Brody, H., Draper, Low, L-F. (2002) What environmental and staffing characteristics predict behavioural and psychological symptoms of dementia in nursing home residents? *Psychogeriatrics*, 2:47-53.

Cohen-Mansfield J and Werner P. (1998) Effect on enhanced environment on nursing home residents who pace. *Gerontologist*, 38: 199-208.

Low LF, Draper B, Brody H (2004) The relationship between self-destructive behaviour and nursing home environment *Aging and Mental Health*, 8 (1), 29-33

Quayle C. (1997) New residence design helps Alzheimer's patients find their way. *Health Facil Manage*, 10: 20-1.

Regnier V. (1997) Design for assisting living. Familiar surroundings and activities are key for residents with dementia. *Contemp Longterm Care*, 20: 52-2, 55-6.

Regnier V. (1998) Look homeward, slowly but surely, long-term care design is changing to fit consumer and provider need. *Contemp Longterm Care*, 21: 92-6.

Shah A, Chiu E, Ames D. (2000) Aggressive behaviour and environmental characteristics in Australian nursing homes. *Ageing & Mental Health*, 4: 43-47.

## **Medicolegal Issues and Service Delivery**

Bouchier H. (2001) A legal perspective on issues in geriatric liaison psychiatry. In: Melding P and Draper B (eds). *Geriatric Consultation Liaison Psychiatry*. Oxford University Press, Oxford. 359-371.

Dukoff R, Sutherland T. (1999) Admission of Alzheimer's disease patients to locked special care facilities against their will. *Amer J Psychiatry*, 156, 805.

Eastman N, Peay J. (1998) Bournemouth: an indefensible gap in mental health law. *BMJ*, 317: 94-95.

Feehan CJ. (1994) Audit of the use of mental health act in a psychogeriatric hospital. *International Journal of Geriatric Psychiatry*, 9, 563-565.

Gadd E. (1998) Changing the law on decision making for mentally incapacitated adults. *BMJ*, 316: 90.

Greene E. Bornstein BH. Dietrich H. (2007) Granny, (don't) get your gun: competency issues in gun ownership by older adults. *Behavioral Sciences & the Law*. 25(3):405-23.

Harwood RH. Stewart R. Bartlett P. (2007) Safeguarding the rights of patients who lack capacity in general hospitals. Do the Bournemouth proposals for England and Wales help or hinder? *Age & Ageing*. 36(2):120-1.

McPherson A. Jones RG. (2003) The use of sections 2 and 3 of the Mental Health Act (1983) with older people: a prospective study. *Aging & Mental Health*. 7(2):153-7.

Mackenzie S. Shah A. (2005) Bournemouth--the future. *Medicine, Science & the Law*. 45(3):201-4.

Nair P, Mayberry JF. (1995) The compulsory removal of elderly people in England and Wales under section 47 of the National Assistance Act and its 1951 amendment: a survey of its implementation in England and Wales. *Age & Ageing*, 24, 180-184.

Rimmer MA, O'Connor S, Anderson D. (2002) Appeal against detention under the Mental Health Act 1983: relationship to age and incapacity. *International Journal of Geriatric Psychiatry*. 17(9):884-5.

Rissmiller DJ, Musser E, Rhoades W., et al (2001) A survey of use of a durable power of attorney to admit geropsychiatric patients. *Psychiatric Services*. 52(1):98-100.

Shah A. (1995) The use of legislation in squalor syndrome. *Medicine, Science and the Law*, 35: 43-44.

Wong J, Clare I, Gunn M, Holland A. (1999) Capacity to make health care decisions: its importance in clinical practice. *Psychol Med*, 29: 437-446.

## **Models and Organisation of Care**

American Psychiatric Association Task Force Report. (1993) *Selected Models of Practice in Geriatric Psychiatry*. American Psychiatric Press, Washington DC.

Baldwin R and Murray M (2005). Services for younger people with dementia In: A. Burns, J O'Brien, D Ames. eds. *Dementia*, 3rd ed, pp. 316-322. Arnold, London.

Banerjee S. (1998) Organization of old age psychiatry services. *Reviews in Clinical Gerontology* 8: 217-225

Bartels SJ, Moak GS and Dums AR (2002). Models of mental health services in nursing homes: a review of the literature. *Psychiatric Services*, 53, 1390-1396.

Bartels SJ. (2003) Improving the system of care for older adults with mental illness in the United States. *American Journal Geriatric Psychiatry*, 11: 486-497.

Brodaty H, Draper B, Low L. (2003) Behavioural and psychological symptoms of dementia: a seven-tiered model of service delivery. *Med J Aust*, 3;178(5):231- 4.

Challis D, Clarkson P, Williamson J et al (2004) The value of specialist clinical assessment of older people prior to entry to care homes. *Age & Ageing*, 33: 25-34.

Cole M. G. (2002) Public health models of mental health care for elderly populations. *International Psychogeriatrics* 14: 3-6

De Leo D, Dello Buono M, Dwyer J. (2002) Suicide among the elderly: the long-term impact of a telephone support and assessment intervention in northern Italy. *Br J Psychiatry*, 181: 226-229.

Dennis M and Lindesay J. Organization of Care. (2002) In: *Evidence-based Dementia Practice*. Qizilbash N, Schneider L, Chui H, Tariot P, Brodaty H, Kaye J, Erkinjuntti T (Eds.). Blackwell Publishing, Oxford. 811-825.

Dening T, Shaji KS. (2005) Psychogeriatric service delivery with limited resources. In: Draper B, Melding P & Brodaty H (eds) Psychogeriatric Service Delivery: an international perspective, Oxford University Press: Oxford, 327-344.

Draper B, Brodaty H, Low LF (2006) A tiered model of mental health service delivery for older persons: an evidence-based approach. *International Journal of Geriatric Psychiatry*, 21: 645-653.

Draper B., Jochelson T., Kitching D., et al (2003) Mental health service delivery to older people in New South Wales: perceptions of aged care, adult mental health and mental health services for older people. *Australian & New Zealand Journal of Psychiatry* 37: 735-40

Hickie I., Burke D., Tobin M. and Mutch C. (2000) The impact of the organisation of mental health services on the quality of assessment provided to older patients with depression. *Australian & New Zealand Journal of Psychiatry* 34: 748-54

Hughes J, Stewart K, Challis D et al (2001) Care management and the care programme approach: towards integration in old age mental health services. *International Journal of Geriatric Psychiatry*, 16:266-272.

Johri M., Beland F. and Bergman H. (2003) International experiments in integrated care for the elderly: A synthesis of the evidence. *International Journal of Geriatric Psychiatry* 18: 222-235

Melding P and Osman-Aly N. (2000) The view from the bottom of the cliff." Old age psychiatry services in New Zealand: the patients and resources. *N Zeal Med J*, 113: 439-42

O'Connor D. Melding P. (2006) A survey of publicly funded aged psychiatry services in Australia and New Zealand. *Australian & New Zealand Journal of Psychiatry*. 40(4):368-73.

Philpot M., Drahman I., Ball C. and Macdonald A. (2000) The prognosis of late-life depression in two contiguous old age psychiatry services: An exploratory study. *Aging & Mental Health* 4: 72-78

Reilly S, Challis D, Burns A, Hughes J. (2003) Does integration really make a difference? A comparison of old age psychiatry services in England and Northern Ireland. . *Int J Geriatr Psychiatry*, 18: 887-893.

Tew Jr, JD. (2005) Post-hospitalisation transitional care needs of depressed elderly patients: models for improvement. *Current Opinion in Psychiatry*, 18:673-677.

Tomar R, Treasaden IH, Shah AK. (2005) Is there a case for a specialist forensic psychiatry service for the elderly?. *International Journal of Geriatric Psychiatry*. 20(1):51-6.

Wattis, J., Macdonald, A., and Newton, P. (1999) Old age psychiatry: a specialty in transition – results of the 1996 survey. *Psychiatric Bulletin*, 23, 331-335.

World Health Organisation and Geriatric Psychiatry Section of the World Psychiatric Association (1998) Organisation of care in psychiatry of the elderly - a technical consensus statement. *Aging and Mental Health*, 2, 246-252. The Consensus documents are available on the WPA Website: [www.wpanet.org](http://www.wpanet.org)

## **Policy and Planning**

Challis D, Reilly S, Hughes J, et al (2002) Policy, organisation and practice of old age psychiatry in England. *Int Geriatr Psychiatry*, 17: 1018-26

Department of Health (2001) *National Service Framework for Older People*. London: Department of Health.

Jeste DV, Alexopoulos GS, Bartels SJ et al (1999). Consensus statement on the upcoming crisis in geriatric mental health. Research agenda for the next 2 decades. *Archives of General Psychiatry*, 56, 848-853.

MacCourt P, Tuokko, H, Tierney M (2000) Editorial: Canadian Association on Gerontology policy statement on issues in the delivery of mental health services to older adults, *Canadian Journal on Aging*, 21, 165-174.

Marshall M. (1999) What do service planners and policy-makers need from research? *Int J Geriatr Psychiatry*, 14: 86-96.

Shah A, Ames D. (1994) Planning and developing psychogeriatric services. *Int Rev Psychiatr*, 6: 15-27.

Tucker S, Baldwin R, Hughes J et al, (2007) Old age mental health services in England: implementing the National Service Framework for Older People. *International Journal of Geriatric Psychiatry* 22, 211-217

## **Principles of Service Delivery**

Chiu E (2005) Principles and best practice model of psychogeriatric service delivery. In Draper B et al (eds) *Psychogeriatric Service Delivery: an international perspective*. Oxford University Press, Oxford. 21-31.

Fairbairn AF (2002). Principles of service provision in old age psychiatry. In: R Jacoby and C Oppenheimer, eds. Psychiatry in the elderly. Third edition. Oxford University Press, Oxford.

Lyketsos CG, Colenda CC, Beck C. et al (2006) Task Force of American Association for Geriatric Psychiatry. Position statement of the American Association for Geriatric Psychiatry regarding principles of care for patients with dementia resulting from Alzheimer disease. American Journal of Geriatric Psychiatry. 14(7):561-72.

Royal College of Psychiatrists (2000). Services for Younger People with Alzheimer's Disease and Other Dementias. RCPsych, London.

Wertheimer J. (1997) Psychiatry of the elderly: a consensus statement. International Journal of Geriatric Psychiatry 12: 432-5

## **Professional Development and Workforce**

Benbow SM, Jolley DJ, Leonard IJ (1993) All work? A day in the life of geriatric psychiatrists. International Journal of Geriatric Psychiatry, 8, 1019-1022.

Benbow, S. M. and Jolley, D. J. (2002) Burnout and stress amongst old age psychiatrists. Int.J.Geriatr.Psychiatry, 17, 710-714.

Briggs K and Askham J (1999). The Needs of People with Dementia and Those who Care for Them: A Review of the Literature. Alzheimer's Society, London.

Brodaty H, Draper B, Low L-F. (2003) A Description of nursing home staff attitudes towards residents, strain related to dementia care and satisfaction with work. Journal of Advanced Nursing 44 (6); 583-590.

Camus V, Katona C, de Mendonça Lima CA et al (2003). Teaching and training in old age psychiatry: a general survey of the World Psychiatric Association member-societies. International Journal of Geriatric Psychiatry, 18, 694-699.

Colenda CC, Wilk JE, West JC. The geriatric psychiatry workforce in 2002: analysis from the 2002 National Survey of Psychiatric Practice. American Journal of Geriatric Psychiatry. 13(9):756-65, 2005 Sep.

Draper B. (2003) Training in old age psychiatry. International Journal of Geriatric Psychiatry, 18: 683-685.

Halpain MC, Harris MJ, McClure FS and Jeste DV (1999). Training in geriatric mental health: needs and strategies. Psychiatric Services, 50, 1205-1208.

Gustafson L, Burns A, Katona C et al (2003). Skill-based objectives for specialist training in old age psychiatry. International Journal of Geriatric Psychiatry, 18, 686-693.

Juul D and Scheiber SC (2003). Subspecialty certification in geriatric psychiatry. *American Journal of Geriatric Psychiatry*, 11, 351-55.

Lieff SJ, Tolomiczenko GS and Dunn LB (2003). Effect of training and other influences on the development of career interest in geriatric psychiatry. *American Journal of Geriatric Psychiatry*, 11, 300-308.

Lieff SJ, Warshaw GA, Bragg EJ, et al (2003). Geriatric psychiatry fellowship programs: findings from the association of directors of geriatric academic programs' longitudinal study of training and practice. *American Journal of Geriatric Psychiatry*, 11, 291-99.

Lieff S and Clarke D (2002). Canadian geriatric psychiatrists: why do they do it? A Delphi study. *Canadian Journal of Psychiatry*, 47, 250-256.

Lieff SJ, Kirwin P, Colenda CC. (2005) Proposed geriatric psychiatry core competencies for subspecialty training. *American Journal of Geriatric Psychiatry*. 13(9):815-21.

Macdonald AJ, Woods RT. (2005) Attitudes to dementia and dementia care held by nursing staff in U.K. "non-EMI" care homes: what difference do they make? *International Psychogeriatrics*. 17(3):383-91.

Olin JT, Reynolds CF, Light E, Cuthbert BN (2003). Career development and training in geriatric mental health: report of an NIMH workshop. *American Journal of Geriatric Psychiatry*, 11, 275-79.

Royal College of Psychiatrists/Royal College of Physicians (1998). *The Care of Older People with Mental Illness: Specialist Services and Medical Training*. RCPsych/RCP, London.

Saarela T, Kiviharju U (1995) Evaluating the usefulness of training in psychogeriatrics. *International Journal of Geriatric Psychiatry*, 10, 1019-1022.

Sadavoy J and Conn D (1994). A comprehensive geriatric psychiatry program in Canada. *Hospital and Community Psychiatry*, 45, 329-330.

Shea D (2003). Swimming upstream: geriatric mental health workforce. *Public Policy and Aging Report*, Spring: 3-7.

Shulman KI, Silver IL, Hershberg RI and Fisher RH (1986). Geriatric psychiatry in the general hospital: the integration of services and training. *General Hospital Psychiatry*, 8, 223-8.

Thorpe L, Leclair K, Donnelly M and MacBeath L (1993). Geriatric psychiatry: training guidelines and their application. Section on Geriatric Psychiatry of the Canadian Psychiatric Association. *Canadian Journal of Psychiatry*, 38, 90-95.

van Weert JC. van Dulmen AM. Spreeuwenberg PM. et al (2005) The effects of the implementation of snoezelen on the quality of working life in psychogeriatric care. *International Psychogeriatrics*. 17(3):407-27.

## **Rural Care**

Abraham I. L., Buckwalter K. C., Snustad D. G., et al (1993) Psychogeriatric outreach to rural families: the Iowa and Virginia models. *International Psychogeriatrics* 5: 203-11

Neese JB, Abraham IL (1997) Cluster analysis of psychogeriatric characteristics and service use among rural elderly. *Issues in Mental Health Nursing*, 18, 1-18.

Neese, J. B., Abraham, I. L., & Buckwalter, K. C. (1999). Utilization of mental health services among rural elders. *Archives of Psychiatric Nursing*, 13(1), 30 – 40.

Neese J. (2005) Rural service delivery. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 281-292.

## **Service Delivery Evaluation and Quality of Care**

Allen, L, Bala, S, Carthew, R, et al (1999) Experience and application of HoNOS65+. *Psychiatric Bulletin*, 23, 203-206.

Audit Commission (2001). *Forget Me Not: Mental Health Services for Older People*. Audit Commission, London.

Borson S, Bartels S, Colenda C, et al (2000) Geriatric Mental Health Services Research: strategic Plan for an Aging Population. *Am J Geriatr Psychiatry*, 9: 191 – 204.

British Geriatrics Society (2003). *Standards of Care for Specialist Services for Older People*. British Geriatrics Society, London.

Burns, A., Beevor, A., Lelliott, P., et al (1999) Health of the Nation Outcome Scales for Elderly peoples (HoNOS65+). *British Journal of Psychiatry*, 174, 424-427.

Druss BG, Bradford WD, Rosenheck RA, et al (2001) Quality of medical care and excess mortality in older patients with mental disorders. *Archives of General Psychiatry* 2001; 58 (6): 565-572.

Katona C. Livingston G. Cooper C. et al (2007) International Psychogeriatric Association consensus statement on defining and measuring treatment benefits in dementia. *International Psychogeriatrics*. 19(3):345-54.

Macdonald, A. J. (1999) HoNOS 65+ glossary. *British Journal of Psychiatry*, 175, 192.

Macdonald, A. J. (2002) The usefulness of aggregate routine clinical outcomes data: The example of HoNOS65+. *Journal of Mental Health*, 11, 645-646.

Macdonald A. (2005) Evaluation of service delivery. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 309-326.

MacCourt P, Lockhart B, Donnelly M (2002) Best practices for the mental health care of older adults, Division of Aging and Seniors: NACA Writings in Gerontology on Mental Health and Aging, National Advisory Council on Aging, 18, 9-21.

Melding P. (2005) Integrated service delivery and quality of care. In: Draper B, Melding P & Brodaty H (eds) *Psychogeriatric Service Delivery: an international perspective*, Oxford University Press: Oxford, 251-280.

Rozzini, R., Frisoni, GB, and Trabucchi (2002) Outcome measurement in mental health: The Italian experience in psychogeriatrics. *British Journal of Psychiatry*, 181, 442-443.

Shergill S. S., Shankar K. K., Seneviratna K. and Orrell M. W. (1999) The validity and reliability of the Health of the Nation Outcome Scales (HoNOS) in the elderly. *Journal of Mental Health* 8: 511-521

Sloane P, Lindemann D, Phillips C, et al. (1995) Evaluating Alzheimer's Special Care Units: Reviewing the evidence and identifying potential sources of study bias. *Gerontologist*, 35: 103-111.

Spear J., Chawla S., O'Reilly M. and Rock D. (2002) Does the HoNOS 65+ meet the criteria for a clinical outcome indicator for mental health services for older people? *International Journal of Geriatric Psychiatry* 17: 226-230

## **Technology and Care**

Iliffe S, Austin T, Wilcock J, et al (2002). Design and implementation of a computer decision support system for the diagnosis and management of dementia syndromes in primary care. *Methods Information and Medicine*, 41, 98-104.

Nebeker JR, Hurdle JF, Bair BD. (2003) Future history: medical informatics in geriatrics. *Journals of Gerontology Series A-Biological Sciences & Medical Sciences* 58(9): M820-5.

Peterson JF, Kuperman GJ, Shek C et al (2005) Guided prescription of psychotropic medications for geriatric inpatients. *Archives of Internal Medicine*, 165: 802-7.

Rochon PA, Field TS, Bates DW et al (2005) Computerised physician order entry with clinical decision support in the long-term care setting: Insights from the Baycrest Centre for Geriatrics Care. *Journal of the American Geriatrics Society*, 53: 1780-89.

Sumner CR (2001) Telepsychiatry: challenges in rural aging. *Journal of Rural Health*, 17(4):370-3.

Tang WK, Chiu H, Woo J. et al (2001) Telepsychiatry in psychogeriatric service: a pilot study. *International Journal of Geriatric Psychiatry* 16(1): 88-93.